

SectionA: 66 Questions

SectionB: 66 Questions

SectionA

1. What is the effect of the setting, users.global.view.mode:0, on the Web GUI Server Initialization file?

- A.Enable Web GUI users with ncw_user and netcool_rw roles to view Global Views.
- B.Enable Web GUI users with ncw_user and netcool_rw roles to modify Global Views.
- C.Disable Web GUI users with ncw_user and netcool_rw roles from viewing Global Views.
- D.Disable Web GUI users with ncw_user and netcool_rw roles from modifying Global Views.

Answer: D

2. Which access level is required for editing personal settings, accessing Portlet help and accessing a Portlet defined in the Web GUI?

- A.User
- B.Editor
- C.ncw_user
- D.Privileged User

Answer: D

3. Which role is required to define Users, Groups, and Roles on IBM Tivoli Netcool/OMNIbus V7.3 Web GUI?

- A.ncw_admin
- B.iscadmins
- C.ncw_admin, tipadmins
- D.ncw_admin, netcool_rw

Answer: B

4. Which actions should be performed by an Administrator to delete some portlets that exist in IBM Tivoli Netcool/OMNIbus V7.3 Web GUI that are not being used by any users?

A.The Administrator can delete only a copy of the portlet.

B.From Settings --> Portlet Management, select the portlet and delete.

C.Remove the portletname.portlet file under install_dir/_uninst/TIPInstallOMNIbusWebGUI/Portlet directory.

D.Edit the portlets file under install_dir/_uninst/TIPInstallOMNIbusWebGUI/Portlet directory and remove the names of the portlet that have to be deleted.

Answer: A

5. In which two instances will a dedicated gateway be used for forwarding accelerated events? (Choose two.)

A.to send accelerated events directly to an Accelerated Event Notification desktop client

B.to eliminate the possibility of unexpected delays caused by high volumes of events

C.to send accelerated events to a different ObjectServer than that used for normal IDUC updates

D.to send accelerated events to an ObjectServer via a proxy server so that connections can be combined for performance

E.to send ALL events in the source ObjectServer more quickly - since the EVTFT IDUC mechanism is faster than the regular IDUC mechanism

Answer: BC

6. What is required to be configured so that a user can run process control on Linux?

A.A user must be created in the ObjectServer.

B.Configure PAM authentication for that user and add user to ncoadmin group.

C.Ensure that the user is created in LDAP for authentication of process control.

D.Nothing, process control should be started with an operating system user account.

Answer: B

7. Which step is required once an ObjectServer is running within an architecture?

A.Enable PAM authentication.

B.Turn off the proxy settings which are turned on by default.

C.Remove the root user account because it is a security risk.

D.Modify the properties files of every integration that will be sending alerts to the ObjectServer.

Answer: D

8. What is the only environment variable that has to be set for the ObjectServer to be started?

A.PATH

B.NCHOME

C.DISPLAY

D.OMNIHOME

Answer: B

9. How are the gateway properties files in a multi-tiered architecture created?

A.Default files can be used without alteration.

B.Download the multi-tier package from passport advantage.

C.Create custom properties files to support a complex multi-tiered environment.

D.There is a multi-tier architecture directory that contains the template files to use to configure gateways.

Answer: D

10. What must be verified while configuring probes for an IBM Tivoli Netcool/OMNibus system?

- A.The probe can connect to the GUI Server.
- B.The required ports for the rules file are available.
- C.The required interface ports for the probes are available.
- D.The appropriate ObjectServer role is configured in the probe properties.

Answer: C

11. What does an event with the Type field set to a value of 1 in the alerts.status table of the ObjectServer indicate?

- A.The event is marked as a problem.
- B.The event is marked as a resolution.
- C.The event is marked as indeterminate.
- D.The event is marked as informational.

Answer: A

12. In a probe main rules file, which statement can reference a number of secondary rules files?

- A.nest
- B.imbed
- C.merge
- D.include

Answer: D

13. Which two ways do Probes run on UNIX systems? (Choose two.)

- A.as a Service

- B.as Java applets
- C.as Web applications
- D.from the command line
- E.under process control

Answer: DE

14. A SQL Event Management tool is being created on the IBM Tivoli Netcool Web GUI server, containing a SQL instruction that explicitly runs against all rows. Under this condition, which statement is true?

- A.Select Execute for each Selected Row checkbox.
- B.Do not select Execute for each Selected Row checkbox.
- C.SQL instructions within the SQL tool should be restricted only for one row.
- D.Use a Multiline String prompt in the SQL instruction which will run the query against multiple rows.

Answer: B

15. Which tool types are available in IBM Tivoli Netcool/OMNIBus V7.3 Web GUI?

- A.SQL, alerts, and Script tools
- B.alerts, CGI_Tools, and Local_Tools
- C.alerts, CGI/URL, and Command tools
- D.SQL, CGI/URL, Command, and Script tools

Answer: D

16. When creating an SQL tool in IBM Tivoli Netcool/OMNIBus V7.3 Web GUI, what is the effect of selecting Execute for each Selected Row?

- A.Execute the SQL tool against selected rows that are defined in the tool.