



ExamKiller.net

World's NO.1 IT Certification Website



Pass Any IT Exam At First Try . No Pass No Pay!

www.examkiller.net

MCSE CCNA CCNP HP Oracle 10i
 Apple BEA IBM Nortel Symantec

Exam Questions

Online Test Engine

Study Guide

Audio Training

CATEGORIES

Hot Vendor: Cisco Microsoft Oracle Avaya Altiris Apple IBM Nortel RSA Veritas Business Objects EMC Juniper

ExamKiller Inc.

Exam Questions Features

Based on the Real Exam Questions. Exhibits, Drag&Drop and Simulation Questions Included.

Study Guides are Constantly Updated To Reflect Current Exam Information!

Technical support available to answer your technical questions and queries.

Study Guides are provided in the universally accepted Adobe PDF format. No installation and no viruses. Easy to read and print.

Free 3 months Updates. No risk, 100% Money Back Guarantee.

Nortel 920-360

Communication Server 1000 Rls. 6.0 Engineering & Network Design

Practice Questions and Answers

By: ExamKiller Inc.

www.examkiller.net | support@examkiller.net

PLEASE READ:

ExamKiller's Industrious professionals have carefully designed and compiled this Practice Q&A for you. This Q&A aims at bringing the in-line ideas and concepts behind every question. It is better than other Practice Q&A because it's based in the Real Test Center. The answers to each question in this Q&A are not only exact and accurate but are verified as well. Some Q&A has explanations given in. They are written by the best people in industry enhancing your knowledge and learning experience. Instead of memorizing, our Q&A is made to make you understand things. You can read it a couple of times to increase your speed of exam attempt and comprehension.

All of our Q&As are updated regularly with changing exam objectives so keep an eye on the latest version of this Q&A to get the most updated and most accurate Q&A in line with the latest Exam objectives.

We welcome all your suggestions regarding this Q&A which can help us make this better for you. Please note down that the copy of this Q&A delivered by ExamKiller is only for your personal use and not for distribution. This Q&A is protected by US Copyright laws and any violation found may be dealt with legal action.

We thank you again for buying this Q&A product from us and we promise to continue serving you in future for all your Certification Training needs.

Promising your success,

ExamKiller

Technical Support Team

Link Sites: ExamKiller.net | In2expo.com

Session: 64 Questions

Section A

1. A customer is expanding their operations to a second location. They need to deploy a solution with support for 70 IP telephone users that can provide local survivability in the event of a network failure. In addition, they require support for 20 digital telephones.

Which two solutions should the customer consider? (Choose two)

- A. Media Gateway 1000B
- B. Survivable Media Gateway 1000E
- C. Survivable Remote Gateway 1.5
- D. Survivable Remote Gateway 503.0

Answer: A B

2. Which statement most accurately describes the function of the Terminal Proxy Server (TPS) in a Communication Server (CS) 1000E RIs.6.0 system deployment for a typical single system network design?

- A. The TPS provides web services access to the Call Server.
- B. The TPS provides the function of virtual trunk allocation without a physical presence in the hardware.
- C. The TPS provides signaling between an IP telephone and the Call Server.
- D. The TPS provides a direct media path between users in the Call Server domain and users in the SIP domain.

Answer: C

3. A customer has IP Trunks configured between multiple sites. A station user from one site attempts to call a different site, but all trunks are busy. What provisioning can be used to transparently process this call?

- A. The call will automatically process via PSTN with no additional provisioning.

B. The call will automatically process via the TIE lines with no additional provisioning.

C. Provisioning of the SIP Redirect Server will allow Fallback to PSTN.

D. Provisioning of the MCDN Alternate Routing feature will allow Fallback to PSTN.

Answer: D

4. Unified Communications Management (UCM) consists of three levels: Network Level, System Level, and Element Base Level. At which level (s) can patching be controlled?

A. System Level only

B. Network Level only

C. Both System Level and Element Base Level

D. Both Network Level and Element Base Level

Answer: D

5. A customer is opening two new branch offices and wants to use their existing Communication Server (CS) 1000E RIs 6.0 system. The main system uses 22,150 IP telephones.

What is the maximum number of supported IP telephones that can be installed in the new branch offices using Media Gateway 1000B that will remain survivable in the event of an IP connectivity loss to the main CS1000E or other Alternate Call Servers?

A. 350

B. 400

C. 500

D. 850

Answer: A

6. A customer wants to take advantage of the flexibility that a Nortel solution provides. They currently have a Communication Server (CS) 1000 RIs.6.0 network with eight PBX systems connected via IP Peer Networking and the H.323 Protocol.

SectionB

1. A customer is upgrading an existing Communication Server (CS) 1000M with a CPPM Signaling Server at RIs.5.0 to a CS 1000M RIs.6.0. What minimum modification must be made to the Signaling Server?

- A. upgrade the Signaling Server software to RIs.6.0
- B. upgrade the Signaling Server memory to 2 GB
- C. upgrade the memory to 2 GB and the Signaling Server software to RIs. 6.0
- D. replace the CPPM Signaling Server with a new COTS Signaling Server

Answer: C

2. A customer is migrating an Option 81C RIs. 5.0 to a Communication Server (CS) 1000M Multi-Group RIs. 6.0 system. Which Call Server/Signaling Server options are available to the customer? (Choose two)

- A. CPPM VxWorks Call Server/CPPM VxWorks Signaling Server
- B. CPPM VxWorks Call Server/CPPM Linux Signaling Server
- C. CPPIV Call Server/CPPM Linux Signaling Server
- D. CPPIV Call Server/COTS Linux Signaling Server

Answer: C D

3. A customer is migrating an existing Option 11C to a Communication Server (CS) 1000E RIs. 6.0 with CPPM Co-resident Call Server and Signaling Server. What is the minimum software release supported for Automatic Software Conversion of the customer database?

- A. RIs. 22
- B. RIs. 23.10
- C. RIs. 25.40b
- D. RIs. 24.50

Answer: B

4. A customer is upgrading a Communication Server (CS) 1000E SA RIs. 5.0 system to a CS 1000E SA RIs. 6.0 system with Co-resident Call Server and Signaling Server. Which ELAN IP address is recommended for the Co-resident Call Server and Signaling Server?

- A. A new ELAN IP address
- B. ELAN IP address of the Call Server from the original system
- C. Both ELAN IP addresses of the MGC card from the original system
- D. ELAN IP address of the Signaling Server from the original system

Answer: B

5. A customer is installing a new Communication Server (CS) 1000E RIs. 6.0 High Availability (HA) system and wants Advanced Call Center Services but does not require networking. Which Software Level should they order?

- A. Premium Service Package
- B. Business Service Package
- C. Enhanced Service Package
- D. Enhanced Business Service Package

Answer: C

6. A customer is upgrading an existing Communication Server (CS) 1000E RIs. 5.5 system to CS 1000E RIs. 6.0 co-resident system. The customer wants to add SIP Line Service for 375 users. Which server(s) can the customer install for SIP Line Gateway (SLG) functionality?

- A. 1 CPPM VxWorks Signaling Server and 1 SLG Server
- B. 1 CPPM Co-resident Call Server/Signaling Server and 1 SLG Server
- C. 1 CPPM Co-resident Call Server/Signaling
- D. 1 CPPM Standalone Signaling Server and 1 COTS SLG Server

Answer: B